



Premium Multi-sided Systems DV Fireplaces, VF Fireplaces, VF Fireboxes and Log Sets

The Breckenridge Premium 36-inch See-Through Vent-Free Firebox is available in louver or flush-face (shown) includes curtain screens and Banded Brick Liner. Shown with Slope Glaze Vista Burner and Stone River ceramic fiber log set. Also available in Peninsula models with three open sides.



White Mountain Hearth – The Pinnacle of Efficiency

Premium Multi-sided Gas Fireplaces and Fireboxes – See-Through & Peninsula

Bring the warmth and beauty of White Mountain Hearth into your home with a premium peninsula or see-through gas fireplace.

These 36-inch peninsula and see-through fireplaces are available in Tahoe direct-vent fireplace systems (35,000 Btu), Vail vent-free fireplace systems (38,000 Btu), and Breckenridge vent-free fireboxes. Our Tahoe and Vail fireplace systems include a 24-inch Slope Glaze Vista Burner installed (and slightly recessed into the floor) ready for the matching log set. Breckenridge Fireboxes accept any properly sized certified Vent-Free Burner and Log Set from 18- to 30-inch.

The unique Slope Glaze Vista Burner features ceramic pellets inside a large burner pan to create a deep field of dancing flames. Topped off with a hand-painted log set, your fireplace takes center stage. Even when off, the available dimmer-controlled interior lighting creates drama in any room.

Designed to complement our existing fireplace products, the new see-through and peninsula fireplaces accept many of the same decorative louver and door accessories as our conventional premium fireplaces, providing better continuity in homes with multiple fireplaces.

See-Through or Peninsula

The see-through system is viewable from two sides for built-in-wall applications. It creates a stunning visual effect and serves as an efficient supplemental zone heat source for two adjoining rooms.

The peninsula system is viewable from three sides making it ideal for building into buttress walls or installing in a peninsula mantel.

Mantels and Mantelshelves

Our mantels are made from 3/4-inch fine-furniture grade cabinetry components, including select hardwood veneers. Because this natural wood can vary in appearance, we grain match the components to assure you receive a great looking mantel. Each mantel is detailed in solid wood trim to match the veneer – oak or poplar. The full 3/4-inch cove moldings and edge trim add structural integrity. Matching decorative trim pieces add beauty and character.

Pair a see-through system with any combination of profile mantels and mantelshelves to match the specific style of your living space. Add the perfect finishing touch to your peninsula system with a mantel top and base, stained to accent any decor.

Choose from one of seven finishes – cherry, nutmeg, dark oak, oak, white, unfinished oak, and unfinished hardwood.

All of our mantels are hand sanded and then finished as a complete unit, assuring uniform color.



Furniture-grade cabinetry components and 3/4-inch real wood moldings ensure lasting beauty

Tahoe Direct-Vent Fireplace Systems

Tahoe Direct-Vent Fireplace Systems

Heater Rated at 35,000 Btu input, the Tahoe direct-vent system draws in outdoor air to support combustion and sends its exhaust directly outdoors, and must be located in a position that allows venting through an exterior wall or through the roof. Multi-sided Tahoe fireplaces install using readily available 4 x 6 5/8 direct-vent pipe.

Tahoe systems include a built-in 24-inch Slope Glaze Vista Burner, large tempered-glass viewing windows, Banded Brick Liner, ceramic fiber floor liner, dimmer controlled lighting, and glowing embers. The 24-inch Rock Creek Log Set must be ordered to complete the direct-vent fireplace.

Popular Options

- Decorative Louvers and Doors
- Thermostats, Remote Controls and Blower



The Tahoe Premium 36-inch Peninsula Direct-Vent Fireplace includes the 35,000 Btu Slope Glaze Vista Burner (for use with Rock Creek refractory log set only), large tempered glass view windows, and Banded Brick Liner. Shown with Peninsula Mantel and Base in Nutmeg finish. Fireplace also available in See-Through models with two open sides.

Vent-Free Fireplaces and Fireboxes

Vail Vent-Free Fireplace Systems

At 99.9-percent efficient, the 38,000 Btu Vail vent-free system is the ultimate supplemental heat source for any home. This clean-burning fireplace employs oxygen depletion sensor technology to continuously monitor your room air and instantly shut off the gas well before oxygen drops to an unsafe level.

Vail systems include a built-in 24-inch Slope Glaze Vista Vent-Free Burner, arched frames with fixed screens, Banded Brick Liner, and glowing embers. The 24-inch Rock Creek refractory log set must be ordered to complete the fireplace.

Popular Options

- LK-2 Dimmer Controlled Lighting
- Decorative Louvers and Doors
- EK-2 Large Ember Kit
- Thermostats, Remote Controls and Blower



The Vail Premium 36-inch Peninsula Vent-Free Fireplace includes a 38,000 Btu Slope Glaze Vista Burner, plus fixed screens, louvers, and hoods on three sides. Requires Rock Creek refractory log set. Also available in See-Through model with two open sides

Breckenridge Vent-Free Fireboxes

Our Breckenridge fireboxes accept any properly sized, certified vent-free burner and log set, such as the 18-inch, 24-inch, or 30-inch Slope Glaze Vista Burner, with a Stone River Ceramic fiber log set or a Rock Creek refractory log set.

The Breckenridge comes with conventional louvers or in a flush face model that can be completely bricked or tiled into place, yet still allow use of the circulation blower.

Breckenridge Fireboxes include curtain-style screens, Banded Brick Liners, and refractory sill. A listed multi-sided vent-free burner and log set must be ordered to complete the fireplace.

Popular Options

- LK-2 Dimmer Controlled Lighting
- Decorative Louvers and Doors
- EK-2 Large Ember Kit
- Thermostats, Remote Controls and Blower




The Breckenridge Premium 36-inch Peninsula Vent-Free Firebox is available in louver or flush-face (shown) and includes curtain screens. Shown with Slope Glaze Vista Burner and Rock Creek refractory log set. Also available in See-Through models with two open sides.


Decorative Fireplace Accessories

We offer optional louvers, hoods, doors, and frames in matte black, hammered pewter, polished brass, and stainless steel. Availability of styles and finishes varies by product. Ask your dealer for details.


Decorative Doors – include handles, screens, and hinges




Decorative Door Plain Rectangle




Decorative Door Mission Rectangle




Decorative Door Leaf Rectangle



Decorative Door Plain Arch



Decorative Door Mission Arch




Decorative Door Leaf Arch

Decorative Frames




Decorative Frame Rectangle
with hinge mounting points



Decorative Frame Arch
(available without hinge mounting points in Matte Black only)

Decorative Louvers – with screens



Decorative Louver Arch



Decorative Louver Leaf



Decorative Louver Mission

Decorative Trim is available in Classic Matte Black, Modern Stainless Steel, and Rich Hammered Pewter. Colors and styles vary by fireplace. Ask your dealer for details.

Remote Controls and Thermostats

Take charge of your new fireplace with a battery-operated remote control, thermostat remote, electric remote control, wall thermostat, or wall switch.



FRBC
Battery
Remote



FREC
Electric
Remote



FRBTC
Thermostat
Remote



FRBTP
Programmable
Remote



IP
Thermostat
Remote



FWS
Wall Switch



TMV
Wall Thermostat



TRW Wireless Wall
Thermostat

Interior Lighting and Ember Kits

Dimmer-controlled lighting is standard on direct-vent systems and available as an option for vent-free fireplaces and fireboxes. The LK-2 interior light kit creates drama, even when the fire is off.

The EK-2 Ember Kit complements the Rock Creek or Stone River log set with seven large burnt log chunks and a generous mound of white and gray ashes to create a satisfying well-used fireplace appearance. (For Vent-Free Fireplaces and Fireboxes only)



EK-2 Large Log Ember Kit

Slope Glaze Vista Burner and Stone River Log Set



Just like a real wood fire, the Stone River ceramic fiber Log Set provides a different look from every angle. The Slope Glaze Vista Built-in Burners conceal their controls behind the louvers on fireplace models and behind a sliding panel on firebox applications. Top Right: End view. Bottom Right: Opposite side view.



Rugged looking refractory logs give the Rock Creek Log Set a rustic look on a grand scale. Top Left: End view. Bottom Left: Opposite side view.

Stone River and Rock Creek Multi-Sided Log Sets

The ceramic fiber Stone River set includes 5 stocky logs – hand-painted, of course – arranged for a slightly lower profile, compared to the Rock Creek set.

The Rock Creek set features richly detailed and hand-painted refractory logs – and lots of them – artfully stacked to complement the Slope Glaze Vista Burner. With bark, split-wood, and sawn ends showing, the exquisitely detailed Rock Creek set provides visual interest aflame or at rest.

Multi-Sided Loft Series Burner



Multi-sided Loft Series Burners

The 24-inch Multi-sided Loft Burner (36,000 Btu) is ideal for Peninsula and See-Through fireboxes. Like other Loft burners, the Multi-sided system can be tailored to your living space with decorative tops (in Stainless Steel and Polished Black) or glass (in Clear Frost, Blue Clear, and Polished Black). Optional liners, in brushed stainless steel and reflective black, fit Empires 36-inch Peninsula and See-Through fireboxes.

Log Set Descriptions

Model	Log Set Description	Vista Burner	Ship Wt. (lb)	Model	Log Set Description	Vista Burner	Ship Wt. (lb)
Refractory				Ceramic Fiber			
LSU-18RR	Rock Creek, 9-Log	18	51	LSU-18SF	Stone River, 5-Log	18	10
LSU-24RR	Rock Creek, 11-Log	24	58	LSU-24SF	Stone River, 5-Log	24	12
LSU-30RR	Rock Creek, 11-Log	30	69	LSU-30SF	Stone River, 5-Log	30	15

Vented/Vent-Free Slope Glaze Vista Burners

Model	Description	Log Length (inches)	Btu Input	Non-Empire Minimum Firebox Dimensions				Ship Wt. (lb)
				Front Width (inches)	Rear Width (inches)	Depth (inches)	Height (inches)	
On/Off Millivolt, Standing Pilot								
VFSUR-18	Slope Glaze Vista Burner	18	36,000	22	22	17	17	24
VFSUR-24	Slope Glaze Vista Burner	24	38,000	28	28	17	18	29
VFSUR-30	Slope Glaze Vista Burner	30	40,000	32	32	17	18	34


Vented/Vent-Free Multi-sided Loft Series Burners

Model	Description	Btu Input	Fits Empire Fireboxes	Non-Empire Minimum Firebox Dimensions				Ship Wt. (lb)
				Front Width (inches)	Rear Width (inches)	Depth (inches)	Height (inches)	
On/Off Millivolt, Standing Pilot								
VFRU-24	Multi-Sided Loft Burner, 24-inch	36,000	VFP36(S,P)B	32	32	17 1/2	18	20
Intermittent Pilot, Includes Thermostat Variable Remote Control								
VFIU-24	Multi-Sided Loft Burner, 24-inch	36,000	VFP36(S,P)B	32	32	17 1/2	18	20

Model	Breckenridge Vent-Free Fire Box, Flush Face (requires VFSUR Burner and Log Set or Loft Multi-sided Burner - pages 6 & 7)
VFP-36-PB2EF	Breckenridge Premium VF 36 Peninsula Fire Box, Flush Face, Banded Brick Ceramic Fiber Liner
VFP-36-PB2EL	Breckenridge Premium VF 36 Peninsula Fire Box, Louvered, Banded Brick Ceramic Fiber Liner
VFP-36-SB2EF	Breckenridge Premium VF 36 See-Through Fire Box, Flush Face, Banded Brick Ceramic Fiber Liner
VFP-36-SB2EL	Breckenridge Premium VF 36 See-Through Fire Box, Louvered, Banded Brick Ceramic Fiber Liner
Model	Vail Vent-Free Fireplace System (requires Rock Creek Log Set - page 7)
VFP-36-PP32E	Vail Premium VF 36 Peninsula Fireplace, Millivolt, Banded Brick Ceramic Fiber Liner (Requires LSU-24-RR log set)
VFP-36-SP32E	Vail Premium VF 36 See-Through Fireplace, Millivolt, Banded Brick Ceramic Fiber Liner (Requires LSU-24-RR log set)
Model	Tahoe Direct-Vent Fireplace System (requires Rock Creek Log Set - page 7)
DVP-36-PP32E	Tahoe Premium DV 36 Peninsula Fireplace, Millivolt, Banded Brick Ceramic Fiber Liner, Dimmer Light (Requires LSU-24-RR log set)
DVP-36-SP32E	Tahoe Premium DV 36 See-Through Fireplace, Millivolt, Banded Brick Ceramic Fiber Liner, Dimmer Light (Requires LSU-24-RR log set)

Fireplace Dimensions (in inches)

Model	A	B	C	D	E	F	G	H	I	J	K	L	M	N	Max Weight (lb)	Input Btu Nat Max/Min LP Max/Min
VFP-36-PB2EF	38 1/8	39	24	25 1/2	36	35 1/4	29 1/8	41 1/8	1 1/4	6 1/8	8 1/2	5 7/8	27 5/8	36 7/8	145	—
VFP-36-PB2EL	38 1/8	39	24	25 1/2	36	35 1/4	29 1/8	41 1/8	1 1/4	6 1/8	8 1/2	5 7/8	27 5/8	36 7/8	145	—
VFP-36-SB2EF	38 1/8	39	24	25 1/2	36	34 1/4	29 1/8	41 1/8	1 1/4	6 1/8	8 1/2	5 7/8	27 5/8	36 7/8	140	—
VFP-36-SB2EL	38 1/8	39	24	25 1/2	36	34 1/4	29 1/8	41 1/8	1 1/4	6 1/8	8 1/2	5 7/8	27 5/8	36 7/8	140	—
VFP-36-PP32E	34 3/4	39	24	22	36	35 1/4	29 1/8	37 3/4	1 1/4	6 1/8	2 1/2	5 7/8	24 1/8	33 1/2	175	38,000/25,000 38,000/30,000
VFP-36-SP32E	34 3/4	39	24	22	36	34 1/4	29 1/8	37 3/4	1 1/4	6 1/8	2 1/2	5 7/8	24 1/8	33 1/2	170	38,000/25,000 38,000/30,000
DVP-36-PP32E	34 3/4	39	24	—	36	32 5/8	—	41 1/8	1 1/4	5 3/8	2 1/2	5 7/8	25	33 1/2	230	35,000/24,000 35,000/28,000
DVP-36-SP32E	34 3/4	39	24	—	36	29 1/4	—	41 1/8	1 1/4	5 3/8	2 1/2	5 7/8	25	33 1/2	240	35,000/24,000 35,000/28,000



* Flush available on firebox models only.

Drawings vary by product. Check owners manual for specific product dimensions.

Warranty for All Models

All Vent-Free parts carry a 5-year limited labor warranty. All vented parts carry a 3-year limited warranty.

Note: Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape and color will vary from photos.

Gas Inlet for Fireplace Models

Type of Gas (State on Order)	Natural or LP
Iron Pipe Size (N.P.T.)	1/2-inch
Ignition System	Standing Pilot/Piezo

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



Empire Comfort Systems Inc.
918 Freeburg Ave.
Belleville, IL 62220-2623
info@empirecomfort.com

WMH-00801 4/26/12
The Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks.