

A stunning flush hearth smooth-face design combines with amazing versatility to complement any décor. The expansive ceramic glass viewing area and dramatic yellow flames make the DRT6300 Series the perfect fit for your home.



FEATURED DRT6300 fireplace with aged oak log set and black reflective porcelain liners

EXCLUSIVE FEATURES

- Available in 40" and 45" models
- 4 Gas controls are conveniently hidden to the side of the fireplace opening for easy installation and finishing
- Selectronic ignition with battery backup to provide continued operation in the event of a power outage
- Exclusive burner design to generate amazing tall flame
- Flush hearth floor design
- Six flame settings for precise control
- Smooth-face design features ceramic glass for optimum heat transfer
- Premium, high definition rustic ceramic fiber log set with beautiful glowing ember bed
- Heavy duty log grate
- Interior liner selections consist of full three-piece black reflective porcelain or ceramic fiber
- ∮ Full function remote control (Flame, IPI/CPI)
- Available in dedicated power-vent models (Natural Gas only)
- 20 year limited warranty



FEATURED DRT6340 with Buff Rustic and Aged Oak log set.

INTERIOR

(Required)

Choose from two ceramic fiber liners or a black reflective porcelain liner to complement your decor.



Buff Rustic



Buff Herringbone



Black Reflective Porcelain

Total Comfort Control



Proflame II Remote

SCREENS

(Optional)

Choose from three free-standing screen styles.



Dual Arch Screen



Classic Screen



Arch Screen


Andirons (Optional)

Select from two andiron styles to further complement the look of a traditional hearth.






FLAT WALL FRAMING SPECIFICATIONS



| | DRT6340 | DRT6345 | |
|---|---------|---------|--|
| Α | 50-3/4" | 56-7/8" | |
| В | 43" | 48" | |
| С | 25-1/4" | 25-1/4" | |

CORNER FRAMING SPECIFICATIONS



| | DRT6340 | DRT6345 | |
|---|---------|---------|--|
| D | 50-5/8" | 56-3/4" | |
| E | 83-5/8" | 89-7/8" | |
| F | 59-1/8" | 63-1/2" | |
| G | 41-7/8" | 44-7/8" | |

On the Cover: DRT6340 shown with Black Porcelain Liner and Aged Oak log set.


IMPORTANT NOTES:

As with any fireplace, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how

 $Diagrams, illustrations\ and\ photographs\ are\ not\ to\ scale-consult\ installation\ instructions.\ Product\ designs,$ materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.

APPLIANCE SPECIFICATIONS



| | DRT6340 | DRT6345 |
|---|-----------|-----------|
| Н | 34" | 40-1/8" |
| I | 25-5/16" | 28-3/8" |
| J | 14-1/8" | 14-1/8" |
| K | 34-3/4" | 40-59/64" |
| L | 50-5/8" | 56-11/16" |
| М | 42-7/8" | 47-7/8" |
| N | 29-9/32" | 34-1/2" |
| 0 | 33-3/32" | 38-3/32" |
| Р | 26-15/32" | 26-15/32" |

| FIREPLACE EFFICIENCIES | | | | | | |
|------------------------|------|---------------|--------------|--|--|--|
| MODEL | FUEL | BTU/HR | P4/ENERGUIDE | | | |
| DRT6340TEN | NG | 32,000/50,000 | 35.8% | | | |
| DRT6340TEP | LP | 32,000/50,000 | 42.0% | | | |
| DRT6340TYN | NG | 32,000/42,000 | 47.0% | | | |
| DRT6345TEN | NG | 38,500/60,000 | 51.2% | | | |
| DRT6345TEP | LP | 38,500/60,000 | 47.0% | | | |
| DRT6345TYN | NG | 35,000/48,000 | 47.2% | | | |




Approved for use with European Copper and Chimney Classics chimney tops, which improve performance and add an elegant touch.



© 2014 Innovative Hearth Products







Visit us online